


ACCESSORIES


PURCHASING GUIDE



**GENERAL
ACCESSORIES**




ITEM TYPE | SYRINGE



P/N: 01-200-36-0006

ITEM TYPE | ROTRONIC
PROBE
UNCLIBRATED




P/N: 01-200-36-0002

ITEM TYPE | AMPLIFIER
CABLE



P/N: 01-200-36-0003

ITEM TYPE | ROTRONIC
HANDHELD



P/N: 01-200-36-0010

ITEM TYPE | FUSE
SIZE | 1 AMP



P/N: 01-200-85-0002

ITEM TYPE | FUSE
SIZE | 4 AMP



P/N: 01-200-85-0001

ITEM TYPE | CABLE
APPLICATION | PROBE




P/N: 01-200-36-0012

ITEM TYPE | CABLE
APPLICATION | USB A



P/N: 01-200-69-0001

ITEM TYPE | CABLE
APPLICATION | USB B




P/N: 01-022-69-0001

ITEM TYPE | CABLE




P/N: 01-200-30-0001

ITEM TYPE | KNOB
SIZE | 0.750"
APPLICABLE MODELS | 1000 SP,
2000 SP,
2000 SH,
2015 TS,
2000 SHR,
4000




P/N: 01-001-66-0001

ITEM TYPE | SCREW
SIZE | 0.750"
APPLICABLE MODELS | 1000 SP,
2000 SP,
2000 SH,
2015 TS,
2000 SHR,
4000




P/N: 01-001-66-0002

ITEM TYPE | SCREW
SIZE | 1.500"
APPLICABLE MODELS | 1000 SP,
2000 SP,
2000 SH,
2015 TS,
2000 SHR,
4000



P/N: 01-001-66-0003

ITEM TYPE | KNOB
SIZE | 1.500"
APPLICABLE MODELS | 1000 SP,
2000 SP,
2000 SH,
2015 TS,
2000 SHR,
4000



P/N: 01-001-66-0004

ITEM TYPE | CAP
TYPE | NON-VENTED
APPLICABLE MODELS | 1000 SP,
2000 SP,
2000 SH,
2015 TS,
2000 SHR,
4000




P/N: 01-200-36-0005

**GENERAL
ACCESSORIES**




ITEM TYPE | SERVICE
TYPE | ISO 17025
ACCREDITED
RE-CALIBRATION
APPLICABLE | HYGRO-MINI,
MODELS | 1000 SP, 2000 SP,
2000 SH, 2015 TS,
2000 SHR,
4000 EXP



P/N: 01-999-99-0004

ITEM TYPE | SERVICE
TYPE | ISO 17025
ACCREDITED
CALIBRATION
APPLICABLE | HYGRO-MINI,
MODELS | 1000 SP, 2000 SP,
2000 SH, 2015 TS,
2000 SHR,
4000 EXP



P/N: 01-999-99-0001

ITEM TYPE | WARRANTY
TYPE | 3 YEAR EXT




P/N: 01-999-99-0003

ITEM TYPE | WARRANTY
TYPE | 2 YEAR EXT



P/N: 01-999-99-0002

ITEM TYPE | CABLE
TYPE | AMERICAN




P/N: 01-200-46-0001

ITEM TYPE | CABLE
TYPE | EUROPEAN




P/N: 01-200-46-0002

PORT TYPE | STANDARD
 PORT QTY | 2
 SHAPE | SQUARE
 BUNGS | PG29




P/N: 01-001-00-0028

PORT TYPE | STANDARD
 PORT QTY | 4
 SHAPE | SQUARE
 BUNGS | PG29
 GASKET | PRESS




P/N: 01-001-00-0003

PORT TYPE | STANDARD
 PORT QTY | 4
 SHAPE | ROUND
 BUNGS | PG29
 GASKET | PRESS




P/N: 01-001-00-0004

PORT TYPE | STANDARD
 PORT QTY | 4
 PORT TYPE | CHILLED
 MIRROR
 PORT QTY | 1
 SHAPE | SQUARE
 BUNGS | PG29
 PG36




P/N: 01-001-00-0010

PORT TYPE | STANDARD
 PORT QTY | 4
 PORT TYPE | SLIMLINE
 PORT QTY | 1
 SHAPE | SQUARE
 BUNGS | PG29, PG36
 ADAPTERS | PG36




P/N: 01-001-00-0011

PORT TYPE | STANDARD
 PORT QTY | 6
 SHAPE | SQUARE
 BUNGS | PG29
 GASKET | PRESSURE




P/N: 01-001-00-0017

PORT TYPE | STANDARD
 PORT QTY | 6
 SHAPE | ROUND
 BUNGS | PG29
 GASKET | PRESSURE



P/N: 01-001-00-0018

PORT TYPE | STANDARD
 PORT QTY | 6
 SHAPE | ROUND
 TYPE | MAPPING
 BUNGS | PG29




P/N: 01-001-00-0020

2000 SERIES DOORS




DOOR TYPE	SAMPLING
PORT QTY	1
SHAPE	SQUARE
BUNGS	NONE
SCALE	INCLUDED




P/N: 01-001-00-0026

PORT TYPE	STANDARD
PORT QTY	0
SHAPE	SQUARE
BUNGS	NONE




P/N: 02-350-07-0005

PORT TYPE	FLUKE 971
PORT QTY	2
PORT TYPE	STANDARD
PORT QTY	3
SHAPE	SQUARE
BUNGS	INCLUDED




P/N: 01-001-00-0029

DOOR TYPE	COVER
PORT QTY	0
SHAPE	ROUND
BUNGS	NONE



P/N: 01-001-00-0030


ITEM TYPE | EXPANSION
CHAMBER
SMALL
TYPE
APPLICABLE | 2000 SP
MODELS



	EXTERNAL(IN)	INTERNAL(IN)
DEPTH	7.91	6.69
WIDTH	9.00	7.11
HEIGHT	14.00	12.11

P/N: 01-050-00-0000


ITEM TYPE | EXPANSION
CHAMBER
MEDIUM
TYPE
APPLICABLE | 2000 SP
MODELS



	EXTERNAL(IN)	INTERNAL(IN)
DEPTH	7.91	6.69
WIDTH	11.00	8.98
HEIGHT	16.00	13.98

P/N: 01-051-00-0000


ITEM TYPE | EXPANSION
CHAMBER
LARGE
TYPE
APPLICABLE | 2000 SP
MODELS



	EXTERNAL(IN)	INTERNAL(IN)
DEPTH	7.91	6.69
WIDTH	13.00	11.00
HEIGHT	18.00	14.75

P/N: 01-052-00-0000

ITEM TYPE | EXPANSION
CHAMBER
STANDARD
TYPE
APPLICABLE | 2000 SP
MODELS




	EXTERNAL(IN)	INTERNAL(IN)
DEPTH	11.28	6.65
WIDTH	8.67	7.67
HEIGHT	13.58	11.60

P/N: 01-054-00-0000

ITEM TYPE
TYPE
APPLICABLE
MODELS


INSERT
STANDARD
2000 SP,
2000 SH,
2015 TS,
2000 SHR



P/N: 01-200-08-0025

ITEM TYPE
TYPE
APPLICABLE
MODELS


INSERT
WITH FAN
2000 SP,
2000 SH,
2015 TS,
2000 SHR



P/N: 01-200-08-0026

ITEM TYPE
TYPE
APPLICABLE
MODELS


INSERT
CALIBRATING
2000 SP,
2000 SH,
2015 TS,
2000 SHR



P/N: 01-200-08-0027

ITEM TYPE
TYPE
APPLICABLE
MODELS


DESICCANT
STANDARD
1000 SP
2000 SP,
2000 SH,
2015 TS



P/N: 01-200-11-0001

ITEM TYPE
TYPE
APPLICABLE
MODELS


DESICCANT
REFILLABLE
2000 SHR



P/N: 01-201-11-0001

ITEM TYPE
TYPE
APPLICABLE
MODELS


DESICCANT
REFILLABLE
2000 SP



P/N: 01-200-11-0002

ITEM TYPE
APPLICABLE
MODELS

DESSICANT
CLAMP
2000 SP,
2015 TS



P/N: 01-200-01-0013


ITEM TYPE
APPLICABLE
MODELS

WRENCH
1000 SP,
2000 SP,
2000 SH,
2015 TS




P/N: 01-200-36-0011

PORT TYPE | SLIMLINE
 PORT QTY | 10
 BUNGS | PG29, PG36
 ADAPTERS | PG36



P/N: 01-400-01-0019


PORT TYPE | SLIMLINE
 PORT QTY | 10
 BUNGS | PG29, PG36
 ADAPTERS | PG36



ASSEMBLY INCLUDES:
P/N: 01-400-01-0031


P/N: 01-400-01-0020

PORT TYPE | SLIMLINE
 PORT QTY | 1
 SHAPE | ROUND
 BUNGS | PG29, PG36
 ADAPTERS | PG36



P/N: 01-400-01-0031

DOOR TYPE | COVER
 PORT QTY | 0
 SHAPE | ROUND



P/N: 01-400-01-0022


ASSEMBLY INCLUDES:

P/N: 01-012-00-0000
P/N: 01-400-01-0021
P/N: 01-011-30-0001
P/N: 01-400-01-0022

ASSEMBLY REQUIRES:

P/N: 01-400-01-0020

P/N: 01-400-01-0015



PORT TYPE | SLIMLINE
 PORT QTY | 1
 SHAPE | ROUND
 BUNGS | PG29, PG36
 ADAPTERS | PG36



P/N: 01-400-01-0021

ITEM TYPE | CONTROLLER



P/N: 01-012-00-0000

ITEM TYPE | CABLE



P/N: 01-011-30-0001

4000 SERIES ACCESSORIES



ITEM TYPE
APPLICABLE
MODELS


INSERT
4000



P/N: 01-400-01-0023

ITEM TYPE
APPLICABLE
MODELS

SHELF
4000



P/N: 001-400-07-0025

ITEM TYPE
LOCATION
APPLICABLE
MODELS


DESICCANT
EXTERNAL
4000
4000 EXP



P/N: 01-450-01-0034

ITEM TYPE
APPLICABLE
MODELS

SHELF
4000 EXP




P/N: 01-450-01-0023

ITEM TYPE
TYPE

APPLICABLE
MODELS

SERVICE
ISO 17025
ACCREDITED
CALIBRATION
4000




P/N: 01-999-99-0005

ITEM TYPE
TYPE


APPLICABLE
MODELS

SERVICE
ISO 17025
ACCREDITED
RE-CALIBRATION
4000




P/N: 01-999-99-0006

PORT TYPE | STANDARD
 PORT QTY | 3
 SHAPE | SQUARE
 BUNGS | PG29



P/N: 01-001-00-0001


PORT TYPE | SLIMLINE
 PORT QTY | 3
 SHAPE | SQUARE
 BUNGS | PG29, PG36
 ADAPTERS | PG29



P/N: 01-001-00-0002


HYGROMINI ACCESSORIES

ITEM TYPE | DESICCANT
 APPLICABLE | HYGROMINI
 MODELS |




P/N: 01-020-11-0003

PG 29




ITEM	TYPE	BUNG SIZE		PORT SIZE	
		mm	in	mm	in
01-004-09-0001	Regular PG 29	31.00	1.22"	0.000	0.000
01-004-09-0002	Regular PG 29			3.175	0.125"
01-004-09-0003	Regular PG 29			6.350	0.250"
01-004-09-0004	Regular PG 29			9.525	0.375"
01-004-09-0005	Regular PG 29			12.700	0.500"
01-004-09-0006	Regular PG 29			15.875	0.625"
01-004-09-0007	Regular PG 29			19.050	0.750"
01-004-09-0008	Regular PG 29			22.225	0.875"
01-004-09-0009	Regular PG 29			25.400	1.000"

PG 29




ITEM	TYPE	BUNG SIZE		PORT SIZE	
		mm	in	mm	in
01-004-09-0020	Slimline PG 29	31.00	1.22"	3.175	0.125"
01-004-09-0021	Slimline PG 29			6.350	0.250"
01-004-09-0022	Slimline PG 29			9.525	0.375"
01-004-09-0023	Slimline PG 29			12.700	0.500"
01-004-09-0024	Slimline PG 29			15.875	0.625"
01-004-09-0025	Slimline PG 29			19.050	0.750"
01-004-09-0026	Slimline PG 29			22.225	0.875"
01-004-09-0027	Slimline PG 29			25.400	1.000"

PG 36



ITEM	TYPE	BUNG SIZE		PORT SIZE	
		mm	in	mm	in
01-004-09-0034	Regular PG 36	44.45	1.75"	3.175	0.125"
01-004-09-0028	Regular PG 36			6.350	0.250"
01-004-09-0029	Regular PG 36			9.525	0.375"
01-004-09-0030	Regular PG 36			12.700	0.500"
01-004-09-0031	Regular PG 36			15.875	0.625"
01-004-09-0032	Regular PG 36			19.050	0.750"
01-004-09-0033	Regular PG 36			22.225	0.875"

PG 36



ITEM	TYPE	BUNG SIZE		PORT SIZE	
		mm	in	mm	in
01-004-09-0035	Slimline PG 36	44.45	1.75"	9.525	0.375"
01-004-09-0036	Slimline PG 36			15.875	0.625"
01-004-09-0037	Slimline PG 36			25.400	1.00"

PROBE PORT STOP



ITEM	PORT SIZE	
	mm	in
01-004-09-0039	13.335	0.525"
01-004-09-0040	13.970	0.550"
01-004-09-0041	14.605	0.575"
01-004-09-0042	15.240	0.600"
01-004-09-0043	15.875	0.625"
01-004-09-0044	16.510	0.650"
01-004-09-0045	17.145	0.675"
01-004-09-0046	17.780	0.700"
01-004-09-0047	18.415	0.725"
01-004-09-0048	19.050	0.750"